

HP Color LaserJet Enterprise M750 Printer series



Print large volumes of professional-quality documents in sizes from postcard up to SRA3. Maintain productivity with intuitive management tools and get convenient printing from laptops, smartphones and tablets.



2-sided printing



Easy access USB



Enable colour printing from postcards to posters

- Expand your business options: print presentations, high impact reports and marketing materials on a wide range of media types and sizes – from postcards to SRA3 media.
- Produce high-volume print jobs without frequent paper changes, with a paper capacity of up to 2,350 sheets².
- Improve efficiency with a printer that automatically recognizes paper size and type for best printing results.
- Increase efficiency and versatility with automatic two-sided printing³.

Achieve great colour prints at the speed your business needs

- Print documents fast – up to 30 ppm for A4⁴.
- Get the first page out in as soon as 10 seconds from ready mode and in 16 seconds from power save mode with Instant-on Technology.
- Enjoy consistent print quality: get accurate high-quality, glossy text, graphics on text, images and graphics automatically with HP EasyColor and HP ImageREt.
- Enjoy sharp contrast and vivid colour with the high-gloss toner in Original HP LaserJet print cartridges.

Rely on a printer that is easy to use and manage.

- Enable easy printing from smartphones, tablets and laptops at work, home or on-the-go¹.
- Easily integrate gigabit networking and robust security options into your printing fleet.
- Supervise printing fleets remotely using intuitive management tools. Control colour printing usage and costs.
- Quickly print using the easy access USB port. Keep sensitive data safe with the HP High-Performance Secure Hard Disk⁵.


Minimise your environmental impact.

- Reduce packaging waste with pre-installed toner cartridges – no boxes, wrappers or manuals.
- Reduce waste and use up to 50 percent less paper with two-sided printing³.
- Get free and easy recycling – cartridges returned through HP Planet Partners are recycled responsibly⁶.
- Reduce the environmental impact of excess shipping materials with HP ClearView packaging⁷.

Product walkaround

HP Color LaserJet Enterprise M750xh shown:

1. 300-sheet top output bin
2. Intuitive control panel with 4-line color display
3. Easy-access USB port for walk-up printing
4. 100-sheet multipurpose tray supports paper sizes up to SRA3
5. One-door access to the easy-to-install print cartridges
6. Built-in automatic two-sided printing
7. 250-sheet tray 2
8. 500-sheet tray 3
9. Three 500-sheet input trays with print stand for 2,350-sheet total input capacity
10. HP High-Performance Secure Hard Disk
11. 1 GB RAM and an 800 MHz processor
12. Two internal host USB 2.0 type ports for third-party solutions
13. Hi-Speed USB 2.0 port for third-party solutions
14. Hi-Speed USB 2.0 printing port
15. Access port for optional Kensington-style lock
16. HP Jetdirect Gigabit Ethernet embedded print server



Series at a glance



Model	HP Color LaserJet Enterprise M750dn	HP Color LaserJet Enterprise M750n	HP Color LaserJet Enterprise M750xh
Product number	D3L09A	D3L08A	D3L10A
Print Speed (black/colour) ¹	Up to 30 ppm (A4/letter); up to 15 ppm (A3/tabloid)	Up to 30 ppm (A4/letter); up to 15 ppm (A3/tabloid)	Up to 30 ppm (A4/letter); up to 15 ppm (A3/tabloid)
100-sheet multipurpose tray 1	Yes	Yes	Yes
250 sheet tray 2	Yes	Yes	Yes
500-sheet tray 3	Yes	Yes	Yes
500-sheet tray 4	Optional ²	Optional ²	Not available
3x500-sheet feeder with rolling stand	Optional ²	Optional ²	Yes
Automatic two-sided printing	Yes	Not available	Yes
HP High-Performance Secure Hard Disk	Not available	Not available	Yes

¹Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims.

²Optional 500-sheet paper tray and 3x500-sheet paper feeder and stand are sold separately for the M750n and M750dn models; only one optional input accessory may be added.

Accessories, Supplies and Support

Supplies	CE270A HP 650A Black Original LaserJet Toner Cartridge 13,500 pages
	CE271A HP 650A Cyan Original LaserJet Toner Cartridge 15,000 pages
	CE272A HP 650A Yellow Original LaserJet Toner Cartridge 15,000 pages
	CE273A HP 650A Magenta Original LaserJet Toner Cartridge 15,000 pages
	CE516A HP LaserJet CE516A Transfer Kit 150,000 pages
	CE977A HP Color LaserJet CE977A 110V Fuser Kit Up to 150,000 pages
	CE978A HP Color LaserJet CE978A 220V Fuser Kit Up to 150,000 pages
	CE980A HP Color LaserJet CE980A Toner Collection Unit Up to 150,000 pages
Accessories	CE725A HP Color LaserJet 3x500-sheet Paper Feeder and Stand
	CE860A HP Color LaserJet 500-sheet Paper Tray
Connectivity	J8026A HP Jetdirect 2700w USB Wireless Print Server
Service and support	UX963E HP 3 year Next Business Day with Defective Media Retention Color LaserJet CP5525 Hardware Support UV276E HP 3 year 4 hour 13x5 Color LaserJet CP5525/M750 Hardware Support UX899E HP 4 year Next Business Day with Defective Media Retention Color LaserJet CP5525 Hardware Support UX880E HP 5 year Next Business Day with Defective Media Retention Color LaserJet CP5525 Hardware Support UV270PE HP 1 year Post Warranty Next Business Day with Defective Media Retention Color LaserJet CP5525 Hardware Support UV271PE HP 1 year Post Warranty 4 hour 13x5 Color LaserJet CP5525/M750 Hardware Support UV268PE HP 2 year Post Warranty Next Business Day Color LaserJet CP5525/M750 Hardware Support

Technical specifications

Model	HP Color LaserJet Enterprise M750dn		HP Color LaserJet Enterprise M750n	HP Color LaserJet Enterprise M750xh
Product number	D3L09A		D3L08A	D3L10A
Function	Print			
Control panel	5.2 cm, 4-line Colour Graphic Display (CGD) and control panel; 7 job control buttons (Menu, Select, Stop, Back/Exit, Help, Up arrow, Down arrow); 3 LED status lights (Attention, Data, Ready); Enhanced help with animated graphics; Easy-Access USB port with cover			
Print				
Print technology	Laser			
Print speed	Black (A4, normal): Up to 30 ppm; Colour (A4, normal): Up to 30 ppm; Black (A4, duplex): Up to 30 ipm; Black (A3, normal): Up to 15 ppm; Colour (A3, normal): Up to 15 ppm			
First page out	Black (A4, ready): As fast as 10 sec; Colour (A4, ready): As fast as 10 sec			
Print resolution	Black (best): Up to 600 x 600 dpi; Colour (best): Up to 600 x 600 dpi; Technology: HP ImageREt 3600			
Monthly duty cycle	Up to 120,000 pages (A4); Recommended monthly page volume: 2500 to 13,000			
Printer smart software features	HP ePrint, Open Extensibility Platform, FutureSmart Firmware, HP Easy Color, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs			
Standard print languages	HP PCL 6, HP PCL 5c (HP PCL 5c driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™			
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts			
Print area	Print margins: Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm			
Duplex printing	Automatic (standard)		Manual (driver support provided)	Automatic (standard)
Processor speed	800 MHz			
Connectivity				
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 2 Internal USB Host			
Optional	HP Jetdirect 2700w USB Wireless Print Server J8026A			
Wireless	Optional, enabled with purchase of a hardware accessory, HP Jetdirect 2700w USB Wireless Print Server J8026A			
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified			
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print			
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx , 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)			
Hard disk	Standard, 8 GB Solid State Drive (SSD)			D3L10A only: Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)
Memory	Standard: 1 GB; Maximum : 1 GB			
Media handling				
Number of paper trays	Standard: 3; Maximum: 6			Standard: 6; Maximum: 6
Media types	Paper (extra heavy, glossy, heavy, heavy glossy, high gloss images, intermediate, light, plain, recycle, tough), envelopes, labels, cardstock, transparencies			
Media size	Custom (metric): Tray 1: 76 x 127 to 320 x 470 mm; Tray 2, 3: 148 x 211 to 297 x 432 mm; Optional tray 4, 5, 6: 148 x 211 to 297 x 432 mm Supported (metric): Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3 , RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Envelopes: B5, C5, C6, DL; Tray 2, 3: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional tray 4,5,6: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS)			

Model	HP Color LaserJet Enterprise M750dn	HP Color LaserJet Enterprise M750n	HP Color LaserJet Enterprise M750xh
Product number	D3L09A	D3L08A	D3L10A
Media handling	Standard input: 100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input tray 3, automatic two-sided printing Standard output: 300-sheet output bin Optional input: 500-sheet input tray (add up to 2) or 3 x 500-sheet paper feeder and stand	Standard input: 100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input tray 3 Standard output: 300-sheet output bin Optional input: 500-sheet input tray (add up to 2) or 3 x 500-sheet paper feeder and stand	Standard input: 100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input trays 3, 4, 5, 6 automatic two-sided printing Standard output: 300-sheet output bin
Input capacity	Tray 1: sheets: 100; transparencies: 50; envelopes: 10 Maximum: Up to 2350 sheets		
Output capacity	Standard: Up to 300 sheets Envelopes: Up to 40 envelopes Transparencies: Up to 300 sheets Maximum: Up to 300 sheets		
Compatible operating systems	Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit); Mac OS X version 10.6.8, 10.7.5 Lion, 10.8 Mountain Lion; For the latest operating system support see: AirPrint™ (http://support.apple.com/kb/ht4356), Android (http://www.android.com), Citrix and Windows Terminal Services (http://www.hp.com/go/upd), HP ePrint Software Driver (http://www.hp.com/go/eprintsoftware), Linux (http://www.hplip.net), Novell (http://www.novell.com/iprint), SAP device types (http://www.hp.com/go/sap/drivers), SAP Print (http://www.hp.com/go/sap/print), UNIX (http://www.hp.com/go/unix), UNIX JetDirect (http://www.hp.com/go/jetdirectunix_software)		
Compatible network operating systems	Windows 8.1 (32-bit/64-bit); Windows 8 Basic (32-bit/64-bit); Windows 8 Pro (32-bit/64-bit); Windows 8 Enterprise (32-bit/64-bit); Windows 8 Enterprise N (32-bit/64-bit); Windows 8 Enterprise RT (32-bit only); Windows 7 (32-bit/64-bit) (Including Starter Edition); Windows Vista (32-bit) (Including Starter Edition); Windows Vista (64-bit); Windows XP (SP2 or higher) (32-bit/64-bit); Windows Server 2012 R2; Windows Server 2012 (No Software Installer support); Windows Server Win7/2008 R2 (SP1); Windows Server 2008 (Standard Edition); Windows Server 2008 (Enterprise Edition); Windows Server 2008 (32-bit/64-bit) (SP1); Windows Server 2008 (32-bit/64-bit) (SP2); Windows Server 2008 R2 (32-bit/64-bit) (Standard Edition, Enterprise Edition); Windows Server 2008 Server Terminal Services; Windows Server 2008 Server Terminal Services with Citrix® XenApp; Windows Server 2003 (Standard Edition); Windows Server 2003 (Enterprise Edition); Windows Server 2003 (32-bit/64-bit) (SP1); Windows Server 2003 (32-bit/64-bit) (SP2); Windows Server 2003 R2 (32-bit/64-bit) (Standard Edition, Enterprise Edition); Windows Server 2003 Server Terminal Services; Windows Server 2003 Server Terminal Services w/Citrix® Metaframe XP with Feature Release 3; Windows Server 2003 Server Terminal Services w/Citrix® Presentation Server 4.0; Windows Server 2003 Server Terminal Services with Citrix® Presentation Server 4.5; Novell NetWare 6; Novell NetWare 6.5 [SP8 minimum for full Windows Vista, Windows 7 and Windows XP (SP7 if only Windows XP)]; Novell iPrint Client v5.4 for Windows XP, Windows Vista and Windows 7, (x86 and x64); Novell iPrint Support Only; Novell Open Enterprise Server 2 (Linux); Novell Open Enterprise Server 6.5; Other Citrix® (Print): Citrix® XenApps 6.0, Xen Server 5.6, Xen Desktop 5.5; Other Cluster Support; Mac OS v10.5, v10.6.8, v10.7.5, v10.8.x, v10.9.x; For Linux OS versions, refer to the HP Linux web site: hplipopensource.com/hplip-web/index.html; Unix® HP-UX 11i; IBM® AIX 3.2.5 or higher; MPE-iX; Citrix® MetaFrame Server; RED HAT Linux 7.x or higher; Solaris® 2.5 or higher (SPARC® systems only); SUSE Linux 8.x or higher. (For Microsoft IPv6 compatibility use Windows 2003, Windows XP Home, Windows XP Professional and Windows Vista)		
Minimum system requirements	Windows: Windows 10, Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows Server 2012 (64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2008, Windows Server 2003 (SP1 or higher): 200 MB available hard disk space, CD-ROM/DVD drive or Internet connection, dedicated USB 1.1/2.0 or network connection (for OS compatible hardware system requirements see http://www.microsoft.com); Mac: Mac OS X v10.6.8, v10.7.5 Lion, v10.8 Mountain Lion; 1 GB of available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated Universal Serial Bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see apple.com)		
Software included	HP PCL 6 Discrete Printer Driver; Mac Software Link to Web (Mac Installer); Windows Installer		
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in		
Printer management	HP Web Jetadmin; HP Utility (Mac)		
Dimensions and Weight			
Printer dimensions (W x D x H)	Minimum: 544 x 586 x 465 mm; Maximum: 840 x 975 x 465 mm		Minimum: 745 x 688 x 885 mm; Maximum: 840 x 975 x 885 mm
Package dimensions (W x D x H)	714 x 730 x 718 mm		856 x 760 x 1343 mm
Printer weight	52.4 kg		83 kg
Package weight	62.7 kg		98 kg
Operating environment	Temperature: 15 to 27°C; Humidity: 30 to 70% RH		
Storage	Temperature: 0 to 35°C; Humidity: 10 to 90% RH		
Acoustics	Acoustic power emissions: 6.7 B(A); Acoustic pressure emissions: 50 dB(A)		
Power	Requirements: Input Voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); Consumption: 677.41 watts (printing black), 654.92 watts (printing colour), 59.46 watts (ready), 9.09 watts (sleep), 0.35 watts (off), 0.35 watts (Auto On/Auto Off). Typical Electricity Consumption (TEC): 3.680 kWh/Week.; Typical Electricity Consumption (TEC): 3.680 kWh/Week; 3.053 kWh/Week (Blue Angel); Power supply type: Built-in power supply		
Energy savings feature technology	Instant-on Technology		
Certifications	CISPR 22:2008/EN 55022:2010 (Class A), EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:2010; EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries ENERGY STAR® qualified		
What's in the box	HP Color LaserJet Enterprise M750dn printer; four preinstalled HP LaserJet toner cartridges (yield ~13.500 pages black and ~15.000 pages colour); toner collection unit; 100-sheet multipurpose tray 1; 250-sheet input tray 2; 500-sheet input tray 3; Walk-up USB printing; built-in automatic two-sided printing; CDs containing device software and User's Guide; documentation (including Getting Started Guides); power cord	HP Color LaserJet Enterprise M750n printer; four preinstalled HP LaserJet toner cartridges (yield ~13.500 pages black and ~15.000 pages colour); toner collection unit; 100-sheet multipurpose tray 1; 250-sheet input tray 2; 500-sheet input tray 3; Walk-up USB printing; CDs containing device software and User's Guide; documentation (including Getting Started Guides); power cord	HP Color LaserJet Enterprise M750xh printer; four preinstalled HP LaserJet toner cartridges (yield ~13.500 pages black and ~15.000 pages colour); toner collection unit; 100-sheet multipurpose tray 1; 250-sheet input tray 2; 500-sheet input tray 3; 3x500-sheet paper feeder and stand; Walk-up USB printing; built-in automatic two-sided printing; HP High-Performance Secure Hard Disk, minimum 320 GB, AES 256 hardware encryption or greater, CDs containing device software and User's Guide; documentation (including Getting Started Guides); power cord
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.		

Footnotes

¹ Local printing requires mobile device and printer to be on the same network. Remote printing requires an internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See www.hp.com/go/mobileprinting for more details.

² Optional 500-sheet paper tray and 3x500-sheet paper tray with stand are available and sold separately for the n and dn models.

³ Automatic two-sided printing is available on the dn and xh models only.

⁴ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁵ HP High-Performance Secure Hard Disk is available only for the xh model.

⁶ Programme availability varies. HP print cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or to request return envelopes and bulk collection boxes, visit www.hp.com/recycle.

⁷ HP ClearView Packaging is available on the xh model only.



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4AA4-8998EEE, November 2016

